

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



LoKomotive®

FERTILISER SOLUTION

GUARANTEED ANALYSIS: W/V%

Total Nitrogen (N)..... 3.0

3.0% Urea Nitrogen

Potassium (K)27.0

Derived from: Urea and Potassium Acetate

When used as directed this product does not supply all nutrients required by plants and is to supplement a soil fertility program based on soil tests.

Before using this product, read all precautions, directions for use, conditions of sale-limited warranty and limitations of liability and remedies.



Batch Number:
DOM:

CONTENTS: 20 LITRES

MADE IN THE USA

GENERAL INFORMATION

LoKomotive® is a chlorine-free, clear liquid solution, containing 3.0% Nitrogen (N) and 27.0% Potassium (K). It may be applied by sprinkler or ood irrigation, blended with other fertilisers or applied as foliar treatment on selected crops. When used as foliar fertiliser, LoKomotive should rst be diluted with water before applying. Blends of LoKomotive should not be acidified below a pH of 6.0. LoKomotive is compatible with urea solutions in any ratio. When blending with macronutrients and pesticides, trial blend should be conducted before beginning large scale mixing. When mixing other liquid fertilisers and/or pesticides with LoKomotive, the blend sequence should be as follows: water, pesticide, LoKomotive and/or other fertiliser.

SUGGESTED USE RATE:

CROP	RATE Litres / Ha	USE INSTRUCTIONS
		Foliar Ground Application
Artichoke	5.0-10.0	Starting at bud formation.
Lucerne	5.0-15.0	Apply at crown green up or on regrowth after cutting.
Cotton	5.0-20.0	Early bloom and repeat at 7 to 10 day intervals for up to 4 applications.
Apples, Apricots, Almonds, Citrus, Pecans	5.0-15.0	In a minimum of 400 litres per hectare of water spray solution or to the point of runo. Begin application at rst full leaf and apply as needed during the growing season. For concentrated sprays of less than 400 litres per hectare, reduce the rate to stay within the recommended solution ratio.
Rice	1.0-5.0	Panicle initiation.
Peas and Lentils	5.0-15.0	Apply during late bud to 10% bloom.
Brassicas	5.0-20.0	Starting at bottom establishment.
Canola	5.0-10.0	At bud to bolting stage.
Cucurbits	5.0-20.0	Starting at bud formation, fruit establishment. Repeat at 10-14 day intervals as needed.
Strawberries	5.0-20.0	Every 10-14 days starting at fruit production.
Small Fruit (Blueberries, Caneberries, Blackberries, Raspberries)	5.0-20.0	Starting at fruit set.
Cereal grains	5.0-15.0	At tillering to early boot stage.
Dry beans	5.0-10.0	Early bloom.
Corn	5.0-15.0	Just prior to tasseling and second application in 7 to 10 days.
Potatoes	20.0-28.0	Tuber initiation, apply second application in 2 to 3 weeks and third application at tuber bulking.
Sugar beet	5.0-20.0	Prior to row canopy closing.
Soybeans	5.0-20.0	Early pod development.
Solanaceas (Tomato, Peppers, Tomatillos, Eggplant)	5.0-20.0	Starting at fruit formation. Apply every 7 to 14 days as needed.
Leafy vegetable (Head lettuce, Leaf lettuce, Romaine, Spinach, etc.)	2.5-15.0	Starting at thinning.
Grapes (both table and wine)	5.0-10.0	Starting at fruit set through verasion.
		Fertigation Flood and Furrow Irrigation
Trees and Vines	95.0-140.0	Beginning at full leaf, schedule as needed.
Vegetables and row crops	95.0-140.0	Make second application based on crop requirements.
		Sprinkler Irrigation
Trees (Under)	45.0-140.0	Every 10 to 14 days based on crop requirements.
Trees (Overhead)	18.0-95.0	Based on soil levels and on crop requirements.
Vines	28.0-45.0	Every 10 to 14 days based on crop requirements.
Vegetable and row crops	28.0-95.0	Beginning at the 3rd to 4th leaf stage. Every 10 to 14 days based on crop requirements. After injection, allow enough irrigation time to rinse the plants of any residual fertiliser.
		Center Pivot
Vegetable and row crops	28.0-45.0	Based on crop requirements.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

STORAGE AND DISPOSAL: Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstus, seed and fertilisers. Avoid preparation of excess spray, but if necessary, spray out excess mixed sprays or dispose of in a soil pit which does not drain into waterways or ponds. Degradation of excess material may be hastened by making solutions alkaline with lime or washing soda. Triple rinse containers before disposal. Add rinsing to spray tank. DO NOT dispose of undiluted chemical on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specially marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS: Harmful if inhaled or swallowed. May irritate the skin and eyes. May irritate the nose and throat. Avoid contact with eyes and skin. If product or sprays in eyes, wash it out immediately with water. Do not inhale dust or spray mist. When opening the container, mixing, loading and preparing spray, wear cotton overalls buttoned to the neck and wrist or equivalent clothing, elbow-length rubber gloves, and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist or equivalent clothing and elbow-length rubber gloves. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Wash hands after use. After each day's use, wash gloves and goggles and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

SAFETY DATA SHEET: Additional information is listed in the Safety Data Sheet, which can be obtained from the supplier.

CONDITIONS OF SALE: Any provisions or rights (under the Competition and Consumer Act 2010 and/or relevant state legislation) which cannot be excluded by those statutes or by law are not intended to be excluded by these Conditions of Sale. Subject to the foregoing, all warranties, conditions, rights and remedies (expressed or implied under common law, statute or otherwise) in relation to the sale, supply, use and/or application of this product are excluded. This product must be used strictly as directed and in accordance with all instructions appearing on the label and other reference material. To the extent allowed by statute, Loveland Products, and/or its aliates shall not accept any liability whatsoever (including consequential loss), howsoever arising (including negligence), for any damage, injury or death connected with the sale, supply, use and/or application of this product.

Not classied as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

© LOKOMOTIVE is a registered trademark of Loveland Products, Inc.



Distributed by: Loveland Agri Products
 Suite 3, Level 1, Building B, 11 Talavera Road, Macquarie Park, NSW, 2113
 Tel: (02) 9889 5400 • **Product Support Tel: 1800 44 88 92**

IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

FOR SPECIALIST ADVISE IN AN
EMERGENCY DIAL
1800 033 111
24 HOURS AUSTRALIA WIDE

104465_1116

104465_1116